



Your Dreams, Our Challenge

Outgassing Data (IPC-TM650 2.6.4B; ASTM E595)

| Material | Total Mass Loss TML (1% max) | Collected Volatiles Condensable Material CVCM (0.1% max) | Water Vapor Recovered WVR (No Limits) |
|----------------------|---------------------------------|--|---|
| Meteorwave® ELL | 0.34% | 0.01% | 0.01% |
| Mercurywave® 9350 | 0.08% | 0.005% | 0.04% |
| Meteorwave® Family | 0.09% | 0.01% | 0.05% |
| N4000-13 / 13SI | 0.37% | 0.01% | 0.30% |
| N4000-13EP / EPSI | 0.14% | 0.01% | 0.09% |
| N4000-29 | 0.10% | 0.01% | 0.08% |
| N4800-20 | 0.14% | 0.01% | 0.09% |
| N5000 | 0.25% | 0.001% | 0.23% |
| N7000-1 | 0.34% | 0.02% | 0.34% |
| N7000-2HT / -3 / -3F | 0.47% | 0.01% | 0.34% |
| N7000-2V0 | 0.59% | 0.05% | 0.48% |
| N8000 | 0.019% | 0.008% | 0.17% |

For More Information:

North America +1.480.967.5600 • Europe +33.5.62.98.52.90 • Asia Pacific +65.686.17117
agc-ml.multimaterial@agc.com • www.agc-multimaterial.com

Rev. 7/2025