

SLASH SHEET REFERENCE TABLE

Material Type	Flame Rating	UL Designation	IPC-4101E Slash Sheet	Old 13949 Designation
N4000-6	94 V-0	Laminate N4105-6 Prepreg N4205-6	/21 /24 /26	GFG, GFT
N4000-6 FC & -6FC LD N4000-6NF	94 V-0	Laminate N4105-6FC Prepreg N4205-6FC	/21 /24 /26	GFG, GFT
N4000-7 N4000-7 SI®	94 V-0	Laminate N4105-7 Prepreg N4205-7	/98	GFG
N4000-11	94 V-0	Laminate N4105-11 Prepreg N4205-11	/98 /99	GF, GFT
N4000-12 N4000-12 SI®	94 V-0	Laminate N4103-12 Prepreg N4203-12	/29	GFN, GFT
N4000-13 N4000-13 SI®	94 V-0	Laminate N4103-13 Prepreg N4203-13	/29	GFN, GFT
N4000-13 EP™ N4000-13 EP™ SI®	94 V-0	Laminate N4103-13EP Prepreg N4203-13EP	/29	GFN, GFT
N4380-13 RF N4350-13 RF	94 V-0	Laminate N4103-13RF Prepreg N4203-13RF	/29	GFN, GFT
N4000-29 N4000-29NF	94 V-0	Laminate N4105-29 Prepreg N4205-29	/98 /99 /124 /126 /129	GF, GFT
N4800-20 N4800-20 SI®	94 V-0	Laminate N4805-20 Prepreg N4802-20	/72 /73	GFN, GFT
N5000	94 V-0	Rigid Laminate (≥ 0.020) N5105## Thin Laminate (< 0.020) N5205## Prepreg N5305##	/30	GIT, GMT
Mercurywave® 9350	94 V-0	Mercurywave 9350	/29	-

For Information On AGC Multi Material America PCB Materials:

North America +1.480.967.5600 · Europe +33.562.985290 · Asia Pacific +65.686.17117

SLASH SHEET REFERENCE TABLE

Material Type	Flame Rating	UL Designation	IPC-4101E Slash Sheet	Old 13949 Designation
Meteorwave® 3350 Meteorwave® 8350	94 V-0	Laminate Meteorwave 3000 L Laminate Meteorwave 8000 L	/102	- -
Meteorwave® 8300 Meteorwave® 8300	94 V-0	Laminate Meteorwave 8000 L Prepreg Meteorwave 8000 P	/102	- -
M-Ply™	94 V-0	Prepreg Meteorwave 4000 P	/102	-
Meteorwave® 1000NF	94 V-0	Prepreg Meteorwave 1000 P	/102	-
Meteorwave® 1000 Meteorwave® 2000 Meteorwave® 3000 Meteorwave® 4000 Meteorwave® 8000	94 V-0	Laminate Meteorwave 1000 L Prepreg Meteorwave 1000 P Laminate Meteorwave 2000 L Prepreg Meteorwave 2000 P Laminate Meteorwave 3000 L Prepreg Meteorwave 3000 P Laminate Meteorwave 4000 L Prepreg Meteorwave 4000 P Laminate Meteorwave 8000 L Prepreg Meteorwave 8000 P	/102	-
Meteorwave® 5000 HF Meteorwave® 6000 HF	94 V-0 Preliminary	Laminate Meteorwave 5000HF L Prepreg Meteorwave 5000HF P Laminate Meteorwave 6000HF L Prepreg Meteorwave 6000HF P	/96	-
N7000-1	94 HB	Rigid Laminate (≥ 0.020) N7101-1 Thin Laminate (< 0.020) N7201-1 Prepreg N7301-1	/40 /41	GIL
N7000-2 HT	94 V-0	Rigid Laminate (≥ 0.020) N7105-2 HT Thin Laminate (< 0.020) N7205-2 HT	/40 /41 /42	GIL
N7000-3	94 V-1	Rigid Laminate (≥ 0.020) N7105-3 Thin Laminate (< 0.020) N7205-3 Prepreg N7305-3	/40 /41 /42	GIL
N7000-2 V0	94 V-0	Rigid Laminate (≥ 0.020) N7105-2 V0 Thin Laminate (< 0.020) N7205-2 V0 Prepreg N7305-2 V0	/42	GIL
N8000 S Glass N8000 E Glass	94 V-0	Rigid Laminate (≥ 0.020) N8105## Thin Laminate (< 0.020) N8205## Prepreg N8305##	S Glass - 70 E Glass - 71	S Glass: MIL-S 13949/27 E Glass: MIL-S 13949/29
N8000Q	94 V-0	N/A	/61	-

For Information On AGC Multi Material America PCB Materials:

North America +1.480.967.5600 · Europe +33.562.985290 · Asia Pacific +65.686.17117

www.AGC-Nelco.com

SLASH SHEET REFERENCE TABLE

Material Type	Flame Rating	UL Designation	IPC 4103 Slash Sheet	Old 13949 Designation
Mercurywave® 9350	94 V-0	Laminate Mercurywave 9350	/240	-
Meteorwave® 3350	94 V-0	Laminate Meteorwave 3000 L	/240	-
Meteorwave® 8300	94 V-0	Laminate Meteorwave 8000 L Prepreg Meteorwave 8000 P	/230 /530	- -
Meteorwave® 8350	94 V-0	Laminate Meteorwave 8000 L	/240	-
N9000 - MY##, NY##	94 V-0	NY9208, NY9217, NY9220, NY9233	/5	MIL-13949/14, Type GY
N9000 - MH##, NH##	94 V-0	NH9294, NH9300	/6	N/A
		NH9320, NH9338, NH9348, NH9350, NH9410, NH9450	/16	
N9000 - MX##, NX##	94 V-0	NX9240, NX9245, NX9250, NX9255, NX9260	/2	MIL-13949/9, Type GX
		NX9270, NX9294, NX9300, NX9320	/9	N/A
NL9000	94 V-0	NL9294, NL9300, NL9320, NL9350	/9	N/A
N9000-13 RF	94 V-0	Laminate NY9##-13 Laminate NX9##-13 Laminate/Ceramic Filled NH9##-13	-	-

For Information On AGC Multi Material America PCB Materials:

North America +1.480.967.5600 · Europe +33.562.985290 · Asia Pacific +65.686.17117