

Safety Data Sheet

Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product identifier

Product Name N4800-20 Unclad Laminate Synonyms • N4800-20 SI® Unclad Laminate

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified

Laminate for consumer and industrial electronics.

use(s) Use(s) advised against

• Consumer goods in direct contact with food stuffs, potable water, or continuous skin

contact

1.3 Details of the supplier of the safety data sheet

Manufacturer

North America Europe AGC Multi Material AGC Multi Material AGC Multi Material Singapore Europe S.A. America, Inc. PTE, Ltd

1420 W. 12th Place Tempe, AZ 85281 **United States**

4 Gul Crescent Jurong, Singapore 629520 Route des Usines, BP25 65303, Lannemezan, Cedex, France

www.agc-multimaterial.com agc-ml.digital-po@agc.com

1.4 Emergency telephone number

1-480-967-5600- (8AM -5PM CST) M-F

+65 6861 7117 - Asia

+33-5-62-98-52-90- Europe (8AM-4PM M-F)

1-800-424-9300 -

CHEMTREC (US and Canada only)

Section 2: Hazards Identification

EU/EEC

According to: Regulation (EC) No 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010]

According to: EU Directive 67/548/EEC (DSD) or 1999/45/EC (DPD)

2.1 Classification of the substance or mixture

CLP Not Classified DSD/DPD Not Classified

2.2 Label Elements

CLP

Hazard

No label element(s) required.

statements DSD/DPD

• No label element(s) required. Risk phrases

2.3 Other Hazards

CLP

 This material is exempt from CLP/REACH obligations as an article as specified in REACH (1907/2006) and related ECHA guidance.

DSD/DPD

• Under European Directive 1999/45/EC these product(s) are exempt and considered manufactured article(s) under stated normal conditions of use.

United States (US)

According to: OSHA 29 CFR 1910.1200 HCS

2.1 Classification of the substance or mixture

OSHA HCS

Not Classified

2012

2.2 Label elements

OSHA HCS

2012 Hazard

• No label element(s) required.

statements

2.3 Other hazards

OSHA HCS 2012

• Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), these product(s) are exempt and considered manufactured article(s) under stated normal use conditions.

Canada

According to: WHMIS

2.1 Classification of the substance or mixture

WHMIS . Not classified

2.2 Label elements

WHMIS . No label element(s) required

2.3 Other hazards

WHMIS • Under Canadian regulations (Workplace Hazardous Materials Information System (WHMIS) - Hazardous Products Act (HPA), Section 11 (1)), these product(s) are exempt and considered manufactured article(s) under stated normal conditions of use.

> Format: EU CLP/REACH, EU DSD/DPD, WHMIS, and OSHA HCS 2012 Original GHS Format Preparation Date: 27/May/2015

Section 3 - Composition/Information on Ingredients

3.1 Substances

• Material does not meet the criteria of a substance.

3.2 Mixtures

Composition							
Chemical Name	Identifiers	%					
	CAS:78-93-3						
2-Butanone	EC Number:201-159-0	<0.1%					
	EU Index:606-002-00-3						
	CAS:68-12-2						
Formamide, N,N-dimethyl-	nide, N,N-dimethyl- EC Number:200-679-5						
•	EU Index:616-001-00-X						
Cilian amamahaya	CAS:7631-86-9	7% TO 15%					
Silica, amorphous	EC Number:231-545-4	7% 10 15%					
Cured analy, reain mixture	CAS:NA	20% TO 50%					
Cured epoxy resin mixture	EC Number:NA	20% 10 50%					
Class svids shamisels	CAS:65997-17-3	200/ TO 650/					
Glass, oxide, chemicals	EC Number: 266-046-0	30% TO 65%					

Section 4 - First Aid Measures

4.1 Description of first aid measures

Inhalation

• First aid is not expected to be necessary if material is used under ordinary conditions and as recommended. If signs/symptoms develop, move victim to fresh air. Administer oxygen if breathing is difficult. If signs/symptoms continue, get medical attention. Give artificial respiration if victim is not breathing.

Skin

• First aid is not expected to be necessary if material is used under ordinary conditions and as recommended. In case of contact with substance, flush skin with running water for at least 20 minutes. Remove and isolate contaminated clothing. Wash skin with soap and water. If irritation develops and persists, get medical attention.

Eye

• First aid is not expected to be necessary if material is used under ordinary conditions and as recommended. In case of contact with substance, immediately flush eyes with running water for at least 20 minutes. If eye irritation persists: Get medical advice/attention.

Ingestion

• First aid is not expected to be necessary if material is used under ordinary conditions and as recommended. Obtain medical attention immediately if ingested.

4.2 Most important symptoms and effects, both acute and delayed

• Refer to Section 11 - Toxicological Information.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to Physician

 All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

Section 5 - Firefighting Measures

5.1 Extinguishing media

Suitable Extinguishing

• LARGE FIRES: Water spray, fog or alcohol-resistant foam. SMALL FIRES: Dry chemical, CO2, water spray or alcohol-resistant foam.

Media Do not use straight streams.

Unsuitable

Extinguishing Media

5.2 Special hazards arising from the substance or mixture

Unusual Fire and Explosion Hazards • Hazardous decomposition will occur at elevated temperatures

Hazardous Combustion • Nitrous Oxides, Aldehydes, Carbon Monoxide, Various Acids.

Products

5.3 Advice for firefighters

 Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible. Wear positive pressure self-contained breathing apparatus (SCBA).

Section 6 - Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal Precautions • No special precautions are expected to be necessary if material is used under ordinary conditions and as recommended. Do not walk through spilled material. Wear appropriate personal protective equipment, avoid direct contact. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Emergency Procedures • ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep unauthorized personnel away. Ventilate closed spaces before entering.

6.2 Environmental precautions

Avoid release to the environment.

6.3 Methods and material for containment and cleaning up

Containment/Clean-up • Avoid generating dust.

Measures Carefully shovel or sweep up spilled material and place in suitable container.

6.4 Reference to other sections

 Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

Section 7 - Handling and Storage

7.1 Precautions for safe handling

Handling • Avoid contact with heat and ignition sources. Minimize dust generation and accumulation. Use only with adequate ventilation. Wear appropriate personal protective equipment, avoid direct contact. Do not breathe dust. Avoid contact with skin, eyes or clothing. Avoid breathing fumes generated during processing. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco.

7.2 Conditions for safe storage, including any incompatibilities

Storage • Keep away from heat, sparks and flame. Store in a well-ventilated place. Keep container tightly closed. Avoid generating dust. Store at 77°F or below.

Revision Date: 3/November/2021

7.3 Specific end use(s)

• Refer to Section 1.2 - Relevant identified uses.

Section 8 - Exposure Controls/Personal Protection

8.1 Control parameters

		Exposure	Limits/Guideline	s		
	Result	ACGIH	Australia	Brazil	Canada Alberta	Canada British Columbia
Silica, amorphous (7631-86-9)	TWAs	Not established	2 mg/m3 TWA (respirable dust, listed under Fumed silica)	Not established	Not established	Not established
Formamide, N,N-dimethyl- (68-12-2)	TWAs	10 ppm TWA	10 ppm TWA; 30 mg/m3 TWA	8 ppm TWA LT; 24 mg/m3 TWA LT	10 ppm TWA; 30 mg/m3 TWA	10 ppm TWA
2-Butanone	STELs	300 ppm STEL	300 ppm STEL; 890 mg/m3 STEL		300 ppm STEL; 885 mg/m3 STEL	100 ppm STEL
(78-93-3)	TWAs	200 ppm TWA	150 ppm TWA; 445 mg/m3 TWA	155 ppm TWA LT; 460 mg/m3 TWA LT	200 ppm TWA; 590 mg/m3 TWA	50 ppm TWA
Glass, oxide, chemicals as Glass wool fiber	TWAs	method at 400-	/cm3 TWA able fibers: >5 µm, t ratio >=3:1, ermined by embrane filter d at 400- magnification objective], phase- st ation, listed Synthetic us fibers) //cm3 TWA 0.5 fibre/mL TWA (listed under Synthetic mineral fibres) as Glass wool fiber		1 fiber/cm3 TWA as Glass wool fiber	1 fiber/cm3 TWA (respirable fibers: length >5 µm, aspect ratio >=3:1, as determined by the membrane filter method at 400-450X magnification [4-mm objective], using phase-contrast illumination, listed under Synthetic vitreous fibers)
		Fynosure I im	<u> </u> its/Guidelines (C	on't)		IIDEI
		Exposure Lim		Canada	Compade Nove	Od-
	Result	Canada Manitok	Canada New Brunswick	Northwest Territories	Canada Nova Scotia	Canada Nunavut
Silica, amorphous (7631-86-9)	TWAs	Not established	Not established	2 mg/m3 TWA (respirable mass); 5 mg/m3 TWA (total mass); 0.05 mg/m3 TWA (regulated under Silica flour, respirable mass); 0.15 mg/m3 TWA (total mass, regulated under Silica flour)	Not established	2 mg/m3 TWA (respirable mass); 5 mg/m3 TWA (total mass); 0.05 mg/m3 TWA (regulated under Silica flour, respirable mass); 0.15 mg/m3 TWA (regulated under Silica flour, total mass)
Formamide, N,N-dimethyl-	TWAs	10 ppm TWA	10 ppm TWA; 30 mg/m3 TWA	10 ppm TWA; 30 mg/m3 TWA	10 ppm TWA	10 ppm TWA; 30 mg/m3 TWA
(68-12-2)	STELs	Not established	Not established	20 ppm STEL;	Not established	20 ppm STEL;

SF-131 Rev A

				60 mg/m3 STEL		60 mg/m3 STEL				
2-Butanone	STELs	300 ppm STEL	300 ppm STEL 885 mg/m3 STEL		300 ppm STEL	300 ppm STEL; 885 mg/m3 STEL				
(78-93-3)	TWAs	200 ppm TWA	200 ppm TWA; 590 mg/m3 TW		200 ppm TWA	200 ppm TWA; 590 mg/m3 TWA				
Glass, oxide, chemicals as Glass wool fiber	TWAs	1 fiber/cm3 TWA (respirable fibers: length >5 µm, aspect ratio >=3:1, as determined by the membrane filter method at 400-450X magnification [4-mm objective], using phase-contrast illumination, listed under Synthetic vitreous fibers) as Glass wool fiber	1 fiber/cm3 TW (fibers >5 μm with a diameter	3 fiber/cm3 TWA (with a diameter of <=3.5 µm and a length >=10 tt	the membrane filter method at 400-450X magnification [4- mm objective], using phase- contrast illumination, listed under Synthetic vitreous fibers)	3 fiber/cm3 TWA (with a diameter of <=3.5 µm and a length >=10 µm); 5 mg/m3 TWA (total mass) as Glass wool fiber				
					as Glass wool fiber					
	Exposure Limits/Guidelines (Con't.)									
	Result	Canada Ontario	Canada Quebec	Canada Saskatchewan	Canada Yukon	China				
Silica, amorphous (7631-86-9)	TWAs	Not established	Not established	Not established	300 particle/mL TWA (as measured by Konimeter instrumentation, listed under Silica); 20 mppcf TWA (as measured by Impinger instrumentation, listed under Silica); 2 mg/m3 TWA (respirable mass, listed under Silica)	Not established				
Formamide, N,N-dimethyl-	STELs		Not established		20 ppm STEL; 60 mg/m3 STEL	40 mg/m3 STEL				
(68-12-2)	TWAs	10 ppm TWA	10 ppm TWAEV; 30 mg/m3 TWAEV	10 ppm TWA	10 ppm TWA; 30 mg/m3 TWA	20 mg/m3 TWA				
2-Butanone (78-93-3)	STELs	300 ppm STEL	100 ppm STEV; 300 mg/m3 STEV		250 ppm STEL; 740 mg/m3 STEL	600 mg/m3 STEL				
	TWAs	200 ppm TWA	50 ppm TWAEV; 150 mg/m3 TWAEV		200 ppm TWA; 590 mg/m3 TWA	300 mg/m3 TWA				
Glass, oxide, chemicals as Glass wool fiber	TWAs	(respirable fibers: length >5 μm,	1 fibre/cm3 TWAEV (respirable, listed under	(respirable fibers, listed under	30 mppcf TWA (dust or fiberous); 10 mg/m3 TWA (dust or fiberous)	Not established				

Revision Date: 3/November/2021

SF-131 Rev A

		as determine the membrai filter method 400-450X magnification mm objective using phase contrast illumination, under Synthe vitreous fiber as Glass wo	Ne Vitreous At Mineral Fibrical As Glass we fiber Ilisted etic rs)	res) as Glass wool fiber	as Glass wool fiber	
		Exposure	Limits/Guidelin	es (Con't.)		
	Result	Czech Republic		France	Germany DFG	Germany TRGS
Silica, amorphous (7631-86-9)	TWAs	0.1 mg/m3 TWA (respirable fraction); 4.0 mg/m3 TWA (as amorphous SiO2)	Not established	Not established	Not established	4 mg/m3 TWA AGW (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed, inhalable fraction)
	MAKs	Not established	Not established	Not established	4 mg/m3 TWA MAK (inhalable fraction)	Not established
	Ceilings	30 mg/m3 Ceiling	Not established	Not established	10 ppm Peak; 30 mg/m3 Peak	Not established
Formamide, N,N-dimethyl- (68-12-2)	TWAs	15 mg/m3 TWA	5 ppm TWA; 15 mg/m3 TWA	5 ppm TWA [VME] (restrictive limit); 15 mg/m3 TWA [VME] (restrictive limit)	Not established	5 ppm TWA AGW (The risk of damage to the embryo or fetus cannot be excluded even when AGW and BGW values are observed, exposure factor 2); 15 mg/m3 TWA AGW (The risk of damage to the embryo or fetus cannot be excluded even when AGW and BGW values are observed, exposure factor 2)
	STELs	Not established	Not established	30 mg/m3 STEL [VLCT] (restrictive limit); 10 ppm STEL [VLCT] (restrictive limit)	Not established	Not established
	MAKs	Not established	Not established	Not established	5 ppm TWA MAK; 15 mg/m3 TWA MAK	Not established
2-Butanone	Ceilings	900 mg/m3 Ceiling	Not established	Not established	200 ppm Peak; 600 mg/m3 Peak	Not established
(78-93-3)	TWAs	600 mg/m3 TWA	50 ppm TWA; 145 mg/m3 TWA	200 ppm TWA [VME] (restrictive	Not established	200 ppm TWA AGW (The risk of

							limit); 600			damage to the
							TWA [VM (restrictive	∍ limit)		embryo or fetus can be excluded when AGW and BGW values are observed, exposure factor 1); 600 mg/m3 TWA AGW (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed, exposure factor 1)
			STELs	Not established	Not esta	ablished	300 ppm (VLCT) (re limit); 900 STEL [VL (restrictive	estrictive mg/m3 CT]	Not established	Not established
			MAKs	Not established		ablished	Not estab	lished	200 ppm TWA MAK; 600 mg/m3 TWA MAK	Not established
Glass, oxide, chen wool fiber	nicals a	s Glass	TWAs	Not established	as Glass wool fiber		lished	Not established	Not established	
				Exposure				t.)		
	Result	G	Greece	India	l		rael		Italy	Japan
Silica, amorphous (7631-86-9)	TWAs	Not es	tablished	10 mg/m3 TV dust)	10 mg/m3 TWA (total dust)		3 TWA dust no o; 0.1 VA e dust)	Not estal	olished	Not established
Formamide, N,N-	TWAs	5 ppm mg/m3	TWA; 15 TWA	Not establish			WA	5 ppm TWA; 15 TWA		10 ppm OEL; 30 mg/m3 OEL
dimethyl- (68-12-2)	STELs	10 ppn mg/m3	n STEL; 3 STEL	Not establish	ed	Not estab	lished	10 ppm STEL Breve termine; 30 mg/m3 STEL Breve termine		Not established
2-Butanone	TWAs	200 pp 600 mg	m TWA; g/m3 TW/	200 ppm TWA mg/m3 TWA	A; 590	200 ppm ⁻	TWA	200 ppm TWA	TWA; 600 mg/m3	200 ppm OEL; 590 mg/m3 OEL
(78-93-3)	STELs		m STEL; g/m3 STE			300 ppm \$	STEL		STEL Breve 900 mg/m3 STEL mine	Not established
Glass, oxide, chemicals as Glass wool fiber	TWAs	Not est	tablished	Not establish	ed	1 fiber/cm (respirable length >5 aspect rat except as minerals, under Syr vitreous fi as Glass n	e fibers: µm, io >=3:1, bestiform listed othetic bers)	Not estal	blished	1 fiber/cm3 OEL as Glass wool fiber
				Exposure	Limits			t.)		
	Res		Korea	n Malay	⁄sia	Neth	erlands		NIOSH	OSHA
Silica, amorphous	TWAs	i N	lot establ	ished Not establis	shed	Not estab	lished	6 mg/m	n3 TWA	Not established

(7631-86-9)											
Formamide, N,N-dimethyl-(68-12-2)	TW	/As	(Ser 077) mg/i	m3 TWA ial No.	10 ppm TWA mg/m3 TWA	A; 30	15 mg/m3 TWA		10 ppm TWA; 30 mg/m3 TWA	10 ppm TWA; 30 mg/m3 TWA	
	STI	ELs	Not	established	Not establish	ned	30 mg/m3 STEL		Not established	Not established	
2-Butanone	TW	/As	(Ser 228) mg/i	ppm TWA ial No.); 590 m3 TWA ial No.)	200 ppm TW mg/m3 TWA		500 mg/m3 TW/A		200 ppm TWA; 590 mg/m3 TWA	200 ppm TWA; 590 mg/m3 TWA	
(78-93-3)	STI	ELs	(Ser 228) mg/i	ppm STEL ial No.); 885 m3 STEL ial No.)	Not establish	ned	900 mg/m3 STEL		300 ppm STEL; 885 mg/m3 STEL	Not established	
Glass, oxide, chemicals	TW	/As	TWA No.	ng/m3 A (Serial 007) Glass wool	1 fiber/cm3 l (respirable fi length >5 µm aspect ratio: as determine the membrar method at 40 450X magnif [4-mm object using phase- contrast illumination, under Synthe vitreous fiber	bers: n, >=3:1, ed by ne filter 00- ication tive], listed etic rs)	2 fibers/cm3 MAC-		3 fiber/cm3 TWA (fibers <= 3.5 μm in diameter and >= 10 μm in length); 5 mg/m3 TWA (total) as Glass wool fiber	Not established	
					Exposure L	_imits/	Guidelines (C	on't.			
		Resu	ılt		apore		outh Africa		Spain		
Silica, amorphous (7631-86-9)		TWAs		Not establis	shed	inhalab	n3 TWA (total ble dust); 3 TWA (respirable	Not e	stablished		
		TWAs		10 ppm PE PEL	L; 30 mg/m3	mg/m3	TWA		ppm TWA [VLA-ED] (indicative limit value); 15 ng/m3 TWA [VLA-ED] (indicative limit value)		
Formamide, N,N- dimethyl-		STELs		Not establis	shed	20 ppm mg/m3	STEL; 60 STEL	10 pp	10 ppm STEL [VLA-EC]; 30 mg/m3 STEL [VLA-EC]		
(68-12-2)		Biologic Limit Values (BLV)	al 	Not establis	shed	Not est	Not established 40 m		15 mg/L urine end of shift N-Methylformamide (2); 40 mg/L urine start of last shift of workweek N- Acetyl-S-(N-methylcarbamoyl) cysteine (5,S)		
2-Butanone		STELs		300 ppm S mg/m3 STE			300 ppm STEL; 885 mg/m3 STEL E		pm STEL [VLA-EC]; 900 m	g/m3 STEL [VLA-	
(78-93-3)				pm TWA [VLA-ED] (indicat 3 TWA [VLA-ED] (indicative							
Glass, oxide, chemicals		TWAs		10 mg/m3 l		Not est	ablished	orient earth 18% and u	r/cm3 TWA [VLA-ED] (Fibe tation, with a content in Alka oxide [Na2O+K2O+CaO+N in weight; manufacturing, co ase restrictions under REAC : length >5 µm, aspect ratio	aline and Alkali- /lgO+BaO] above ommercialization, EH. Respirable	

		determined by the membrane filter method at 400- 450X magnification [4-mm objective], using phase- contrast illumination, listed under Synthetic vitreous fibers)
		as Glass wool fiber

Exposure Control Notations

China

•Formamide, N,N-dimethyl- (68-12-2): Skin: (Skin notation)

Czech Republic

•Formamide, N,N-dimethyl- (68-12-2): Skin: (Potential for cutaneous absorption)

Denmark

- •Formamide, N,N-dimethyl- (68-12-2): Skin Notations: (Potential for cutaneous absorption)
- •2-Butanone (78-93-3): Skin Notations: (Potential for cutaneous absorption)

•Formamide, N,N-dimethyl- (68-12-2): Skin: (skin - potential for cutaneous absorption)

Italy

•Formamide, N,N-dimethyl- (68-12-2): **Skin:** (skin - potential for cutaneous absorption)

Netherlands

- •Formamide, N,N-dimethyl- (68-12-2): Skin: (skin notation)
- •2-Butanone (78-93-3): **Skin:** (skin notation)

Canada Ontario

•Formamide, N,N-dimethyl- (68-12-2): Skin: (Absorption through skin, eyes, or mucous membranes)

Canada Quebec

•Formamide, N,N-dimethyl- (68-12-2): Skin: (Skin designation)

France

•Formamide, N,N-dimethyl- (68-12-2): **Reproductive Toxins:** (Reproductive Toxin category 1B)

•Formamide, N,N-dimethyl- (68-12-2): Reproductive Toxins: (known or suspected human reproductive toxin with classification from animal data) | Skin: (skin - potential for cutaneous exposure)

ACGIH

•Formamide, N,N-dimethyl- (68-12-2): Carcinogens: (A4 - Not Classifiable as a Human Carcinogen) | Skin: (Skin - potential significant contribution to overall exposure by the cutaneous route)

Germany TRGS

- •Formamide, N,N-dimethyl- (68-12-2): Skin: (skin notation)
- •2-Butanone (78-93-3): **Skin:** (skin notation)

Germany DFG

- •Formamide, N,N-dimethyl- (68-12-2): **Pregnancy:** (risk to embryo/fetus probable) | **Skin:** (skin notation)
- •2-Butanone (78-93-3): **Pregnancy:** (no risk to embryo/fetus if exposure limits adhered to) | **Skin:** (skin notation)

Exposure Limits Supplemental

Czech Republic

•Formamide, N,N-dimethyl- (68-12-2): Substances with Potential Chronic Health Effects: (Potential chronic health effects)

OSHA

•N/A

ACGIH

- •Formamide, N,N-dimethyl- (68-12-2): BEIs: (15 mg/L Medium: urine Time: end of shift Parameter: N-Methylformamide; 40 mg/L Medium: urine Time: prior to last shift of workweek Parameter: N-Acetyl-S-(N-methylcarbamoyl) cysteine (semi-quantitative)) | TLV Basis - Critical Effects: (liver damage)
- •2-Butanone (78-93-3): BEIs: (2 mg/L Medium: urine Time: end of shift Parameter: MEK (nonspecific)) | TLV Basis Critical Effects: (CNS and PNS impairment; upper respiratory tract irritation)

Germany TRGS

- •Formamide, N,N-dimethyl- (68-12-2): BELs: (35 mg/L Medium: urine Time: end of shift Parameter: N,N-Methylformamide plus N-Hydroxymethyl-Nmethylformamide)
- •2-Butanone (78-93-3): BELs: (5 mg/L Medium: urine Time: end of shift Parameter: 2-Butanone)

8.2 Exposure controls

Engineering Measures/Controls

• Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Use explosion-proof electrical/ventilating/lighting/equipment.

Personal Protective Equipment

Respiratory

• In case of insufficient ventilation, wear suitable respiratory equipment. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or symptoms are experienced.

Eye/Face

· Wear chemical splash safety goggles.

Skin/Body

Wear appropriate gloves. Wear long sleeves and/or protective coveralls.

Environmental Exposure Controls Controls should be engineered to prevent release to the environment, including procedures to prevent spills, atmospheric release and release to waterways. Follow best practice for site management and disposal of waste.

Key to abbreviations

ACGIH = American Conference of Governmental Industrial Hygiene

BEI = Biological Exposure Indices

MAK = Maximale Arbeitsplatz Konzentration is the maximum permissible

concentration

NIOSH = National Institute of Occupational Safety and Health

OSHA = Occupational Safety and Health Administration Permissible Exposure Level determined by the Occupational

Safety and Health Administration (OSHA)

STEL = Short Term Exposure Limits are based on 15-minute exposures

STEV = Short Term Exposure Value

= Threshold Limit Value determined by the American Conference of Governmental Industrial Hygienists (ACGIH)

TWA = Time-Weighted Averages are based on 8h/day, 40h/week exposures

TWAEV = Time-Weighted Average Exposure Value

Section 9 - Physical and Chemical Properties

9.1 Information on Physical and Chemical Properties

Material Description			
Physical Form	Solid	Appearance/Description	Tan or light yellow, solid sheet.
Color	Tan or light yellow	Odor	None
Odor Threshold	Data lacking		
General Properties	-	-	
Boiling Point	Not relevant	Melting Point	Data lacking
Decomposition Temperature	>200 C(392 F)	рН	Not relevant
Specific Gravity/Relative Density	1.2-2.0	Water Solubility	Negligible < 0.1 %
Viscosity	Data lacking	Explosive Properties	Data lacking
Oxidizing Properties:	Data lacking		
Volatility	-	-	•
Vapor Pressure	Not relevant	Vapor Density	Not relevant
Evaporation Rate	Not relevant	VOC (Wt.)	<0.2%
VOC (Vol.)	<0.2%	Volatiles (Wt.)	<0.2%
Volatiles (Vol.)	<0.2%		
Flammability			
Flash Point	Not relevant	UEL	Data lacking
LEL	Data lacking	Autoignition	Data lacking
Flammability (solid, gas)	Data lacking		
Environmental			
Octanol/Water Partition coefficient	Data lacking		

9.2 Other Information

• No additional physical and chemical parameters noted.

SF-131 Rev A

Format: EU CLP/REACH, EU DSD/DPD, WHMIS, and OSHA HCS 2012 Original GHS Format Preparation Date: 27/May/2015 Revision Date: 3/November/2021

Section 10: Stability and Reactivity

10.1 Reactivity

• No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

• Stable under normal temperatures and pressures.

10.3 Possibility of hazardous reactions

• Hazardous decomposition will occur at elevated temperatures.

10.4 Conditions to avoid

• Avoid exposure to excessive heat and flames, sparks, or other ignition sources.

10.5 Incompatible materials

• Strong acids, strong bases, strong oxidizers, amines.

10.6 Hazardous decomposition products

• Acrid vapors and fumes, aliphatic and aromatic hydrocarbons of variable composition, CO, CO2, NOx, HCN

Section 11 - Toxicological Information

11.1 Information on toxicological effects

	Components					
Formamide, N,N- dimethyl- (<0.1%)	68-12-2	Acute Toxicity: Ingestion/Oral-Rat LD50 • 2000 mg/kg; Inhalation-Rat LC50 • 1948 ppm 4 Hour(s); Skin-Rabbit LD50 • 4720 mg/kg; Irritation: Eye-Rabbit • 100 mg-Rinse • Severe irritation; Skin-Human • 100 % 24 Hour(s) • Mild irritation; Multi-dose Toxicity: Ingestion/Oral-Rat TDLo • 9 mL/kg 12 Week(s)-Intermittent; Liver:Hepatitis (hepatocellular necrosis), diffuse; Liver:Changes in liver weight; Biochemical:Enzyme inhibition, induction, or change in blood or tissue levels:Phosphatases; Mutagen: Cytogenetic analysis • Inhalation-Human • 12300 μg/m³ 1 Year(s); Reproductive: Inhalation-Rat TCLo • 4 mg/m³ 4 Hour(s)(1-19D preg); Reproductive Effects:Effects on Fertility:Pre-implantation mortality; Reproductive Effects:Effects on Embryo or Fetus:Fetotoxicity (except death, e.g., stunted fetus); Reproductive Effects:Effects on Embryo or Fetus:Fetal death; Tumorigen / Carcinogen: Inhalation-Rat TCLo • 200 ppm 6 Hour(s) 104 Week(s)-Intermittent; Liver:Tumors; Tumorigenic:Neoplastic by RTECS criteria				
2-Butanone (< 0.1%)	78-93-3	Acute Toxicity: Ingestion/Oral-Rat LD50 • 2737 mg/kg; Inhalation-Rat LC50 • 23500 mg/m³ 8 Hour(s); Inhalation-Human TCLo • 1000 mg/m³; Sense Organs and Special Senses:Eye:Conjunctive irritation; Lungs, Thorax, or Respiration:Cough; Skin-Rabbit LD50 • 6480 mg/kg; Irritation: Eye-Human • 350 ppm; Skin-Rabbit • 500 mg 24 Hour(s) • Moderate irritation; Reproductive: Inhalation-Rat TCLo • 1000 ppm 7 Hour(s)(6-15D preg); Reproductive Effects:Effects on Embryo or Fetus:Fetotoxicity (except death, e.g., stunted fetus); Reproductive Effects:Specific Developmental Abnormalities:Musculoskeletal system				
Glass, oxide, chemicals (30% TO 65%)	65997- 17-3	Multi-dose Toxicity: Inhalation-Rat TCLo • 16 mg/m³ 6 Hour(s) 13 Week(s)-Intermittent; Lungs, Thorax, or Respiration:Other changes				

Potential Health Effects

Inhalation

Acute (Immediate) • Processes such as cutting, grinding, crushing, or impact may result in generation of excessive amounts of airborne dusts in the workplace. Nuisance dust may affect the lungs but reactions are typically reversible.

Chronic (Delayed) • No data available.

Skin

Acute (Immediate) • May cause mild irritation.

Chronic

• No data available.

(Delayed)

Eye

Acute

• May cause mild eye irritation (dust).

(Immediate)

• No data available.

Chronic (Delayed)

Ingestion

Acute

• No data available.

(Immediate)

• No data available.

Chronic (Delayed)

Mutagenic **Effects**

• No data available.

Carcinogenic **Effects**

• This product contains fibrous glass. Following a thorough review of all the medical-scientific data available at a meeting in October 2001, the IARC panel lowered the classification for fibrous glass from a Group 2B classification ("possibly carcinogenic to humans") to a Group 3 classification ("not classifiable as to carcinogenicity to humans"). According to IARC, there is "no evidence of increased risks of lung cancer from occupational exposures during manufacturing of these materials, and inadequate evidence overall of any cancer risk.

Effects

Reproductive • No data available.

Key to abbreviations LC = Lethal Concentration

LD = Lethal Dose

TC = Toxic Concentration

TD = Toxic Dose

Section 12 - Ecological Information

12.1 Toxicity

Not expected to be harmful to aquatic life.

12.2 Persistence and degradability

· Material data lacking.

12.3 Bioaccumulative potential

· Material data lacking.

12.4 Mobility in Soil

• Material data lacking.

12.5 Results of PBT and vPvB assessment

• No PBT and vPvB assessment has been conducted.

12.6 Other adverse effects

No studies have been found.

Section 13 - Disposal Considerations

13.1 Waste treatment methods

Product waste

• DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER. All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator. THE INFORMATION PRESENTED HERE PERTAINS ONLY TO THE PRODUCT AS SHIPPED IN ITS INTENDED CONDITION AS DESCRIBED IN SDS SECTION 3: Composition Information. For UNUSED & UNCONTAMINATED PRODUCT, the preferred disposal option includes sending to a licensed, permitted waste handler and disposing with incinerator or other thermal destruction device.

Packaging waste

• Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14 - Transport Information

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
DOT	NA	Not Regulated	NA	NA	NDA
TDG	NA	Not Regulated	NA	NA	NDA
IMO/IMDG	NA	Not Regulated	NA	NA	NDA
IATA/ICAO	NA	Not Regulated	NA	NA	NDA

14.6 Special precautions for user

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

- None specified.
- Material not supplied in bulk form

Section 15 - Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications

Chronic

	State Right To Know									
Component	CAS	MA	NJ	PA						
2-Butanone	78-93-3	Yes	Yes	Yes						
Formamide, N,N- dimethyl-	68-12-2	Yes	Yes	Yes						
Silica, amorphous	7631-86-9	Yes	Yes	Yes						
Glass, oxide, chemicals	65997-17- 3	Yes	No	Yes						

Inventory								
Component CAS Canada DSL Canada NDSL China EU EINECS EU ELNICS								
2-Butanone	78-93-3	Yes	No	Yes	Yes	No		

Formamide, N,N- dimethyl-	68-12-2	Yes		No	Yes		Yes		No
Silica, amorphous	7631-86-	·9 Yes		No	Yes		Yes		No
Glass, oxide, chemicals	65997-17 3	7- Yes		No	Yes		Yes		No
Inventory (Con't.)									
Component CAS		CAS	Japan ENCS			Korea KECL		TSCA	
2-Butanone		78-93-3	Yes		Yes			Yes	
Formamide, N,N-dimethyl- 68		68-12-2	Yes		Yes			Yes	
Silica, amorphous 76		7631-86-9	Yes		Yes		Yes		
Glass, oxide, chemicals 65997-17-3		65997-17-3	Yes		Yes	Yes		Yes	

Australia - Work Health and Safety Regulations - Hazardous Substances Requiring Health Monitoring

Australia

Labor

radical and tronk round and durity regulations real adds dubotanoss requiring .	ioditii iiioiiitoiii	9
•Formamide, N,N-dimethyl-	68-12-2	Not Listed
•2-Butanone	78-93-3	Not Listed
•Silica, amorphous	7631-86-9	Not Listed
•Glass, oxide, chemicals	65997-17-3	Not Listed
•Glass, oxide, chemicals as Glass wool fiber		Not Listed
Australia - High Volume Industrial Chemicals List		
•Formamide, N,N-dimethyl-	68-12-2	Not Listed
•2-Butanone	78-93-3	
•Silica, amorphous	7631-86-9	
•Glass, oxide, chemicals	65997-17-3	Not Listed
•Glass, oxide, chemicals as Glass wool fiber		Not Listed
Australia - List of Designated Hazardous Substances - Classification		
•Formamide, N,N-dimethyl-	68-12-2	Xn, Xi Repr.Cat.2 R61, R20/21, R36
•2-Butanone	78-93-3	F, Xi R11, R36, R66, R67
•Silica, amorphous	7631-86-9	Not Listed
•Glass, oxide, chemicals	65997-17-3	Not Listed
•Glass, oxide, chemicals as Glass wool fiber	03331-11-3	Not Listed
		Not Listed
Environment		
Australia - National Pollutant Inventory (NPI) Substance List		
•Formamide, N,N-dimethyl-	68-12-2	Not Listed
•2-Butanone	78-93-3	10 tonne/yr Threshold category 1
•Silica, amorphous	7631-86-9	Not Listed
•Glass, oxide, chemicals	65997-17-3	Not Listed
•Glass, oxide, chemicals as Glass wool fiber		Not Listed
Australia - Ozone Protection Act - Scheduled Substances		
•Formamide, N,N-dimethyl-	68-12-2	Not Listed
•2-Butanone	78-93-3	Not Listed
•Silica, amorphous	7631-86-9	Not Listed
•Glass, oxide, chemicals	65997-17-3	Not Listed
•Glass, oxide, chemicals as Glass wool fiber		Not Listed
Australia - Priority Existing Chemical Program		
•Formamide, N,N-dimethyl-	68-12-2	Candidate chemical
•2-Butanone	78-93-3	Candidate chemical
•Silica, amorphous	7631-86-9	Not Listed
•Glass, oxide, chemicals	65997-17-3	Not Listed
•Glass, oxide, chemicals as Glass wool fiber		Not Listed

Canada

Labor		
Canada - WHMIS - Classifications of Substances		
•Formamide, N,N-dimethyl- •2-Butanone	68-12-2 78-93-3	Not Listed B2, D2B
•Silica, amorphous	7631-86-9	Uncontrolled product according to WHMIS classification criteria
•Glass, oxide, chemicals	65997-17-3	Not Listed Uncontrolled product
•Glass, oxide, chemicals as Glass wool fiber		according to WHMIS classification criteria (listed under Glass wool); D2A (listed under Mineral wool fiber)
Canada - WHMIS - Ingredient Disclosure List		,
•Formamide, N,N-dimethyl-	68-12-2	1 %
•2-Butanone	78-93-3	1 %
•Silica, amorphous	7631-86-9	1 %
•Glass, oxide, chemicals	65997-17-3	Not Listed
•Glass, oxide, chemicals as Glass wool fiber		Not Listed
Environment Canada - CEPA - Priority Substances List		
•Formamide, N,N-dimethyl-	68-12-2	Priority Substance List 2 (substance not considered toxic)
•2-Butanone	78-93-3	Not Listed
•Silica, amorphous	7631-86-9	Not Listed
•Glass, oxide, chemicals	65997-17-3	Not Listed
•Glass, oxide, chemicals as Glass wool fiber		Not Listed
Europe		
Other EU - CLP (1272/2008) - Annex VI - Table 3.2 - Classification		
•Formamide, N,N-dimethyl-	68-12-2	Xn; R20/21 Xi; R36
		Repr.Cat.2; R61
•2-Butanone	78-93-3	F; R11 Xi; R36 R66 R67
•Silica, amorphous	7631-86-9	Not Listed
•Glass, oxide, chemicals	65997-17-3	Not Listed
•Glass, oxide, chemicals as Glass wool fiber		Not Listed
EU - CLP (1272/2008) - Annex VI - Table 3.2 - Concentration Limits	00.40.0	NI-A I S-AI
•Formamide, N,N-dimethyl-	68-12-2	Not Listed
•2-Butanone	78-93-3	Not Listed
•Silica, amorphous	7631-86-9 65997-17-3	Not Listed Not Listed
•Glass, oxide, chemicals	00997-17-3	
•Glass, oxide, chemicals as Glass wool fiber EU - CLP (1272/2008) - Annex VI - Table 3.2 - Labelling		Not Listed
•Formamide, N,N-dimethyl-	68-12-2	T R:61-20/21-36 S:53-45
•2-Butanone	78-93-3	F Xi R:11-36-66-67 S:(2)-9-
•Silica, amorphous	7631-86-9	Not Listed
•Glass, oxide, chemicals	65997-17-3	Not Listed
•Glass, oxide, chemicals as Glass wool fiber		Not Listed
EU - CLP (1272/2008) - Annex VI - Table 3.2 - Notes - Substances and Preparations		
•Formamide, N,N-dimethyl-	68-12-2	E
•2-Butanone	78-93-3	Not Listed
•Silica, amorphous	7631-86-9	Not Listed
•Glass, oxide, chemicals	65997-17-3	Not Listed
•Glass, oxide, chemicals as Glass wool fiber		Not Listed
EU - CLP (1272/2008) - Annex VI - Table 3.2 - Safety Phrases		

•Formamide, N,N-dimethyl-	68-12-2	S:53-45
•2-Butanone	78-93-3	S:(2)-9-16
•Silica, amorphous	7631-86-9	Not Listed
•Glass, oxide, chemicals	65997-17-3	Not Listed
•Glass, oxide, chemicals as Glass wool fiber		Not Listed
Germany		
Environment		
Germany - TA Luft - Types and Classes		
•Formamide, N,N-dimethyl-	68-12-2	Not Listed
•2-Butanone	78-93-3	Not Listed
•Silica, amorphous	7631-86-9	Not Listed
•Glass, oxide, chemicals	65997-17-3	Not Listed
•Glass, oxide, chemicals as Glass wool fiber		Not Listed
Germany - TA Luft - Emission Limits for Carcinogenic Substances		
•Formamide, N,N-dimethyl-	68-12-2	Not Listed
•2-Butanone	78-93-3	Not Listed
•Silica, amorphous	7631-86-9	Not Listed
•Glass, oxide, chemicals	65997-17-3	Not Listed
•Glass, oxide, chemicals as Glass wool fiber		Not Listed
Germany - TA Luft - Emission Limits for Fibers		
•Formamide, N,N-dimethyl-	68-12-2	Not Listed
•2-Butanone	78-93-3	Not Listed
•Silica, amorphous	7631-86-9	Not Listed
•Glass, oxide, chemicals	65997-17-3	Not Listed
•Glass, oxide, chemicals as Glass wool fiber		Not Listed
Germany - TA Luft - Emission Limits for Inorganic Dusts	00.40.0	NI-A I S-AI
•Formamide, N,N-dimethyl-	68-12-2	Not Listed
•2-Butanone	78-93-3	Not Listed
•Silica, amorphous	7631-86-9	Not Listed
•Glass, oxide, chemicals	65997-17-3	Not Listed
 Glass, oxide, chemicals as Glass wool fiber Germany - TA Luft - Emission Limits for Inorganic Gases 		Not Listed
•Formamide, N,N-dimethyl-	68-12-2	Not Listed
•2-Butanone	78-93-3	Not Listed
•Silica, amorphous	7631-86-9	Not Listed
•Glass, oxide, chemicals	65997-17-3	Not Listed
•Glass, oxide, chemicals as Glass wool fiber	00007 11 0	Not Listed
Germany - TA Luft - Emission Limits for Organic Substances		Ttot Listed
•Formamide, N,N-dimethyl-	68-12-2	Not Listed
•2-Butanone	78-93-3	Not Listed
•Silica, amorphous	7631-86-9	Not Listed
•Glass, oxide, chemicals	65997-17-3	Not Listed
•Glass, oxide, chemicals as Glass wool fiber		Not Listed
Germany - Water Classification (VwVwS) - Annex 1		
•Formamide, N,N-dimethyl-	68-12-2	Not Listed
•2-Butanone	78-93-3	Not Listed
		ID Number 849, not
•Silica, amorphous	7631-86-9	considered hazardous to
·Class avida shamisala	65007.47.0	water
•Glass, oxide, chemicals	65997-17-3	Not Listed
•Glass, oxide, chemicals as Glass wool fiber		Not Listed
Germany - Water Classification (VwVwS) - Annex 2 - Water Hazard Classes		ID Number 83, hazard class
•Formamide, N,N-dimethyl-	68-12-2	1 - low hazard to waters
		ID Number 150, hazard
•2-Butanone	78-93-3	class 1 - low hazard to
		waters

•Silica, amorphous	7631-86-9	Not Listed
•Glass, oxide, chemicals	65997-17-3	Not Listed
•Glass, oxide, chemicals as Glass wool fiber		Not Listed
Germany - Water Classification (VwVwS) - Annex 3		
•Formamide, N,N-dimethyl-	68-12-2	Not Listed
•2-Butanone	78-93-3	Not Listed
		ID Number 849, not
•Silica, amorphous	7631-86-9	considered hazardous to
		water
•Glass, oxide, chemicals	65997-17-3	Not Listed
•Glass, oxide, chemicals as Glass wool fiber		Not Listed
United States		
Office States		
Labor		
U.S OSHA - Process Safety Management - Highly Hazardous Chemicals		
•Formamide, N,N-dimethyl-	68-12-2	Not Listed
•2-Butanone	78-93-3	Not Listed
•Silica, amorphous	7631-86-9	Not Listed
•Glass, oxide, chemicals	65997-17-3	Not Listed
•Glass, oxide, chemicals as Glass wool fiber		Not Listed
U.S OSHA - Specifically Regulated Chemicals		
•Formamide, N,N-dimethyl-	68-12-2	Not Listed
•2-Butanone	78-93-3	Not Listed
•Silica, amorphous	7631-86-9	Not Listed
•Glass, oxide, chemicals	65997-17-3	Not Listed
•Glass, oxide, chemicals as Glass wool fiber		Not Listed
Environment		
U.S CAA (Clean Air Act) - 1990 Hazardous Air Pollutants		(listed under Dimethyl
•Formamide, N,N-dimethyl-	68-12-2	(listed under Dimethyl formamide)
•2-Butanone	78-93-3	Not Listed
	76-93-3 7631-86-9	Not Listed
•Silica, amorphous		
•Glass, oxide, chemicals	65997-17-3	Not Listed
		(including mineral fiber emissions from facilities
		manufacturing or processing
•Glass, oxide, chemicals as Glass wool fiber		glass, rock, or slag fibers [or
		other mineral derived fibers]
		of average diameter 1 μm or
		less)
U.S CERCLA/SARA - Hazardous Substances and their Reportable Quantities		
•Formamide, N,N-dimethyl-	68-12-2	100 lb final RQ; 45.4 kg final
•		RQ
•2-Butanone	78-93-3	5000 lb final RQ; 2270 kg final RQ
Olling amount have	7004.00.0	
•Silica, amorphous	7631-86-9	Not Listed
•Glass, oxide, chemicals	65997-17-3	Not Listed
•Glass, oxide, chemicals as Glass wool fiber		Not Listed
U.S CERCLA/SARA - Radionuclides and Their Reportable Quantities	00.40.0	Nick I Sec. I
•Formamide, N,N-dimethyl-	68-12-2	Not Listed
•2-Butanone	78-93-3	Not Listed
•Silica, amorphous	7631-86-9	Not Listed
•Glass, oxide, chemicals	65997-17-3	Not Listed
•Glass, oxide, chemicals as Glass wool fiber		Not Listed
U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs	00.45 -	
•Formamide, N,N-dimethyl-	68-12-2	Not Listed
•2-Butanone	78-93-3	Not Listed
•Silica, amorphous	7631-86-9	Not Listed
•Glass, oxide, chemicals	65997-17-3	Not Listed

•Glass, oxide, chemicals as Glass wool fiber		Not Listed
U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs		
•Formamide, N,N-dimethyl-	68-12-2	Not Listed
•2-Butanone	78-93-3	Not Listed
•Silica, amorphous	7631-86-9	Not Listed
•Glass, oxide, chemicals	65997-17-3	Not Listed
•Glass, oxide, chemicals as Glass wool fiber		Not Listed
U.S CERCLA/SARA - Section 313 - Emission Reporting		
•Formamide, N,N-dimethyl-	68-12-2	1.0 % de minimis
		concentration
•2-Butanone	78-93-3	Not Listed
•Silica, amorphous	7631-86-9	Not Listed
•Glass, oxide, chemicals	65997-17-3	Not Listed
•Glass, oxide, chemicals as Glass wool fiber		Not Listed
U.S CERCLA/SARA - Section 313 - PBT Chemical Listing	00.40.0	NI-AI (-4- d
•Formamide, N,N-dimethyl-	68-12-2	Not Listed
•2-Butanone	78-93-3	Not Listed
•Silica, amorphous	7631-86-9	Not Listed
•Glass, oxide, chemicals	65997-17-3	Not Listed
•Glass, oxide, chemicals as Glass wool fiber	711	Not Listed
U.S RCRA (Resource Conservation & Recovery Act) - Basis for Listing - Appendix V		Ni di Cara
•Formamide, N,N-dimethyl-	68-12-2	Not Listed
•2-Butanone	78-93-3	Included in waste streams: F005, F039
•Silica, amorphous	7631-86-9	Not Listed
•Glass, oxide, chemicals	65997-17-3	Not Listed
U.S RCRA (Resource Conservation & Recovery Act) - Constituents for Detection Mo	-	
•Formamide, N,N-dimethyl-	68-12-2	Not Listed
•2-Butanone	78-93-3	
•Silica, amorphous	7631-86-9	Not Listed
•Glass, oxide, chemicals	65997-17-3	Not Listed
U.S RCRA (Resource Conservation & Recovery Act) - List for Hazardous Constituer		
•Formamide, N,N-dimethyl-	68-12-2	Not Listed
•2-Butanone	78-93-3	
•Silica, amorphous	7631-86-9	Not Listed
•Glass, oxide, chemicals	65997-17-3	Not Listed
•Glass, oxide, chemicals as Glass wool fiber		Not Listed
U.S RCRA (Resource Conservation & Recovery Act) - Phase 4 LDR Rule - Universal		
•Formamide, N,N-dimethyl-	68-12-2	Not Listed
•2-Butanone	78-93-3	0.28 mg/L (wastewater); 36 mg/kg (nonwastewater)
•Silica, amorphous	7631-86-9	Not Listed
•Glass, oxide, chemicals	65997-17-3	Not Listed
U.S RCRA (Resource Conservation & Recovery Act) - TSD Facilities Ground Water I	-	
•Formamide, N,N-dimethyl-	68-12-2	Not Listed
•2-Butanone	78-93-3	
•Silica, amorphous	7631-86-9	Not Listed
•Glass, oxide, chemicals	65997-17-3	Not Listed
U.S RCRA (Resource Conservation & Recovery Act) - U Series Wastes - Acutely Tox	cic Wastes & O	ther Hazardous
Characteristics	00.40.0	N. 41.4 4
•Formamide, N,N-dimethyl-	68-12-2	Not Listed
•2-Butanone	70 00 0	waste number U159
*Z-DUIMIUNE	78-93-3	(Ignitable waste, Toxic waste)
•Silica, amorphous	7631-86-9	Not Listed
· Oilica, amorphous	1001-00-9	INOT FISTER

United States - California

U.S. - California - Proposition 65 - Carcinogens List

«Formamida N.M. dimethyl	68-12-2	Not Listed
•Formamide, N,N-dimethyl- •2-Butanone	78-93-3	Not Listed Not Listed
•Silica, amorphous	76-93-3 7631-86-9	Not Listed
•Glass, oxide, chemicals	65997-17-3	Not Listed
•Glass, oxide, chemicals	00997-17-3	
•Glass, oxide, chemicals as Glass wool fiber		carcinogen, initial date 7/1/90 (inhalable and biopersistent)
U.S California - Proposition 65 - Developmental Toxicity		, ,
•Formamide, N,N-dimethyl-	68-12-2	Not Listed
•2-Butanone	78-93-3	Not Listed
•Silica, amorphous	7631-86-9	Not Listed
•Glass, oxide, chemicals	65997-17-3	Not Listed
•Glass, oxide, chemicals as Glass wool fiber		Not Listed
U.S California - Proposition 65 - Maximum Allowable Dose Levels (MADL)		
•Formamide, N,N-dimethyl-	68-12-2	Not Listed
•2-Butanone	78-93-3	Not Listed
•Silica, amorphous	7631-86-9	Not Listed
•Glass, oxide, chemicals	65997-17-3	Not Listed
•Glass, oxide, chemicals as Glass wool fiber		Not Listed
U.S California - Proposition 65 - No Significant Risk Levels (NSRL)		
•Formamide, N,N-dimethyl-	68-12-2	Not Listed
•2-Butanone	78-93-3	Not Listed
•Silica, amorphous	7631-86-9	Not Listed
•Glass, oxide, chemicals	65997-17-3	Not Listed
•Glass, oxide, chemicals as Glass wool fiber		Not Listed
U.S California - Proposition 65 - Reproductive Toxicity - Female	00.40.0	
•Formamide, N,N-dimethyl-	68-12-2	Not Listed
•2-Butanone	78-93-3	Not Listed
•Silica, amorphous	7631-86-9	Not Listed
•Glass, oxide, chemicals	65997-17-3	Not Listed
•Glass, oxide, chemicals as Glass wool fiber		Not Listed
U.S California - Proposition 65 - Reproductive Toxicity - Male	60 40 0	Not Listed
•Formamide, N,N-dimethyl-	68-12-2	Not Listed
•2-Butanone	78-93-3	Not Listed
•Silica, amorphous	7631-86-9	Not Listed
•Glass, oxide, chemicals	65997-17-3	Not Listed
•Glass, oxide, chemicals as Glass wool fiber		Not Listed
United States - Pennsylvania		
Labor		
U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List		
•Formamide, N,N-dimethyl-	68-12-2	Not Listed
•2-Butanone	78-93-3	
•Silica, amorphous	7631-86-9	Not Listed
•Glass, oxide, chemicals	65997-17-3	Not Listed
U.S Pennsylvania - RTK (Right to Know) - Special Hazardous Substances	00.40.0	NI_4 :-4
•Formamide, N,N-dimethyl-	68-12-2	Not Listed
•2-Butanone	78-93-3	Not Listed
•Silica, amorphous	7631-86-9	Not Listed
•Glass, oxide, chemicals	65997-17-3	Not Listed

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out.

15.3 Other Information

SF-131 Rev A

WARNING: This product contains a chemical known to the State of California to cause cancer, birth defects, or other reproductive harm.

Section 16 - Other Information

Relevant Phrases (code & full text)

H226 - Flammable liquid and vapour
 H312 - Harmful in contact with skin

H332 - Harmful if inhaled

R10 - Flammable.

R20/21 - Harmful by inhalation and in contact with skin.

Last Revision Date

• 15/July/2021

Preparation Date

• 27/May/2015

Key to abbreviations

NDA = No data available

Disclaimer/Statement of Liability

• The information and recommendations contained in this Safety Data Sheet (SDS) are supplied pursuant to the Occupational Safety and Health Administration's Hazard Communication Standard as promulgated under 29 CFR 1910.1200 and the United States Environmental Protection Agency's Supplier Notification Rule as promulgated under 40 CFR 372.45. This document is intended only as a guide to the appropriate precautionary handling of the material by a person trained in the proper procedures of safe chemical handling. The information contained herein is provided in good faith with no representation as to its comprehensiveness or accuracy. No representations or warranties, either express or implied, of merchantability, or fitness for a particular purpose or of any nature are made with respect to the material described in this Safety Data Sheet. Chemical additions or processing or otherwise altering this material may make the safety information presented in this Safety Data Sheet incomplete, inaccurate or otherwise inappropriate. The information listed above does not include all state, federal, and international regulations. The regulatory information supplied may change from time to time. It is the user's responsibility to keep advised of all applicable regulatory requirements.

SF-131 Rev A Format: EU CLP/REACH, EU DSD/DPD, WHMIS, and OSHA HCS 2012 Page 21 of 21